

Material Safety Data Sheet

Anodia Systems
109 Larrimore Lane
Danville, Kentucky 40422

Mint-A-Kleen®

Tel: 1-866-246-2548
1-859-236-4778
Fax: 1-859-236-9136

Section 1: Product Identification

Identity: Mint-A-Kleen®: Operative Dental Lubricant/Dental Waterline Cleaner

Ingredients: Water, Glycerin, alcohol (8.5%), 0.12% chlorhexidine gluconate, xylitol, FD&C Blue No. 1

Section 2: Hazardous Ingredients

No known Hazardous Ingredients

Section 3: Physical/Chemical Properties

Boiling Point: ~200°F
Odor: alcoholic mint
pH: 5.8

Specific Gravity: ~1.0
Physical State: liquid
Evaporation Rate: ~ 1.90

Water Solubility: very soluble
Appearance: blue liquid
Vapor Density: NK

Section 4: Fire and Explosion Hazard Data

Flash Point: ~ 80°F

Extinguishing Media:

Special Fire Fighting Procedures:

Unusual Fire & Explosion Hazard:

Hazardous Products of Combustion:

Flammable Limits: lower 3.3% upper 19%

Water, alcohol foam, carbon dioxide, or dry chemicals

Keep containers cool with water

Not Known

Not Known

Section 5: Health and Safety

Hazardous Health Data:

Routes of Entry: Skin Contact, Nasal and Eye Contact

Effects of Overexposure: Eye irritation, possible drowsiness

Emergency & First Aid: Remove from exposure. Flush skin or eyes with water; get medical attention if irritation persists or if amounts of over 8 ounces are directly ingested. Give water or milk to dilute product in stomach.

Section 6: Reactivity Data

Stability: Stable

Incompatibility: Oxidizing materials

Hazardous Polymerization: Will not occur

Conditions to Avoid: Keep away from heat or ignition source

Section 7: Precautions for Safe Handling and Use

Precautions for handling and storage: area ventilated, cool, dark and dry. Do not expose product to ignition source. Accidental release or spill of product: Wipe small amounts up and discard. Large quantities greater than 8 ounces, dilute with water, wipe up material and discard. Keep away from ignition source. Product should only be used as stated in Identity.

Waste Disposal: Comply with regulations. Waste liquid of product should be flushed with large quantities of water.

Section 8: Data Preparation

This information herein is presented in good faith and believed to be accurate. However, no warranty, expressed or implied, is given. The information given is to comply with laws and regulation. See MSD Sheet for health and safety information.